


SUPPLEMENT TO



The Gazette of India

[41.]

NEW DELHI, SATURDAY, OCTOBER 18, 1952

OFFICIAL PAPERS

Reported attacks and deaths from cholera, small-pox, plague and typhus in districts in India during the week ending the 20th September, 1952

	CHOLERA SMALLPOX PLAGUE							CHOLERA SMALLPOX PLAGUE					
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	A.	D.
STATES PART (A) & PART (G)							Bombay						
Ajmer							Greater Bombay	.	—	2	—	—	—
TOTAL	—	—	—	—	—	—	Ahmedabad	.	—	—	—	—	—
std. mid-year pop. (6 thousands.)	—	—	—	—	—	—	Kaira	.	—	—	—	—	—
total for w/e 13-9-52	—	—	—	—	—	—	Broach	.	—	—	—	—	—
total for w/e 6-9-52	—	—	—	—	—	—	Panch Mahals	.	—	—	—	—	—
yearly mean for the week	—	—	—	—	—	—	Surat	.	—	—	—	—	—
Assam							Thana	.	—	—	—	—	—
Tezpur	—	—	—	—	—	—	Ahmednagar	.	—	—	3	—	—
Hasi & Jaintia Hills	—	—	—	—	—	—	East Khandesh	.	—	—	—	—	—
Ma Hills	—	—	—	—	—	—	West Khandesh	.	10	2	—	—	—
Goalpara	—	—	—	—	—	—	Amreli	.	—	—	—	—	—
Amravati	—	—	—	—	—	—	Nasik	.	—	—	—	—	—
Arrang	—	—	—	—	—	—	Poona	.	—	—	2	—	—
Gowong	—	—	—	—	2	—	Satara North	.	—	—	—	—	—
Beagor	—	—	—	—	—	—	Satara South	.	—	—	—	—	—
Khimpur	—	—	—	—	—	—	Sholapur	.	—	—	5	—	—
Divya & Frontier Tracts	—	—	—	—	—	—	Sabar Kantha	.	—	—	—	—	—
Two Hills	—	—	—	—	—	—	Belgaum	.	—	—	—	—	—
TOTAL	—	—	—	2	—	—	Bijapur	.	—	2	1	—	—
std. mid-year pop. (384 thousands.)	—	—	—	—	—	—	Dharwar	.	—	—	—	—	—
total for w/e 13-9-52	—	—	—	—	—	—	Kanara	.	—	—	9	2	—
total for w/e 6-9-52	—	—	—	—	—	—	Ratnagiri	.	—	—	5	—	—
yearly mean for the week	—	—	8	4	3	2	Kolaba	.	—	10	6	—	—
Bhopal							Kolhapur	.	—	—	—	—	—
TOTAL	—	—	—	—	—	—	Baroda	.	—	—	—	—	—
std. mid-year pop. (845 thousands.)	—	—	—	—	—	—	Navsari	.	—	—	—	—	—
total for w/e 13-9-52	—	—	—	—	—	—	Dangs	.	—	—	—	—	—
total for w/e 6-9-52	—	—	—	—	—	—	Malwan	.	—	—	—	—	—
yearly mean for the week	—	—	6	3	—	—	Mehsana	.	—	—	6	1	—
Bihar							TOTAL	.	22	9	32	3	—
<i>Return not received.</i>							(Estd. mid-year pop. (36,802 thousands))	.	—	—	—	—	—
							Total for w/e 13-9-52	.	43	11	13	6	—
							Total for w/e 6-9-52	.	30	17	11	3	—
							7-yearly mean for the week	.	157	69	46	7	95
							.	—	—	—	—	—	28

Explanation of Symbols used :—C.—Cases ; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 20th Sept. 1952—contd.

	CHOLERA		SMALLPOX		PLAQUE			CHOLERA		SMALLPOX		PLAQUE		
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Goorg														
Total	..	1	—	Amravati	
(Estd. mid-year pop. 237 thousands.)							Yeotmal	2	
Total for w/e 13-9-52	4	1	Akola	7	1	—	—	
Total for w/e 6-9-52	4	Buldana	10	6	10	..	
7-yearly mean for the week	TOTAL	..	183	86	20	2	62	11
Delhi														
Delhi City	(Estd. mid-year pop. 21,554 thousands.)							
New Delhi	Total for w/e 13-9-52	..	190	95	18	1	8	1
Delhi Notified Area	1	..	Total for w/e 6-9-52	..	193	80	20	2
New Delhi Cantt.	7-yearly mean for the week	..	327	162	32	4	44	8
West Delhi N. A. O.	Madras							
Rural Circles	Vizianagaram	..	3	3	2	—	—	—
TOTAL	1	..	Srikakulam	..	103	77	5
(Estd. mid-year pop. 1,744 thousands.)							West Godavari	..	8	2	5	1	—	—
Total for w/e 13-9-52	1	—	Krishna	..	11	7	4
Total for w/e 6-9-52	3	Guntur	..	23	13	..	1	—	—
7-yearly mean for the week	Nellore	..	23	10	2	1	—	—
Himachal Pradesh														
Mahasu	Cuddappah	..	15	11	10	2	—	—
Mandi	Kurnool	..	6	3
Sirmur	Bellary	..	2	1
Chambe	11	..	Anantapur	..	5	2	2
TOTAL	11	..	Madras	4	1	—	—
(Estd. mid year pop. 997 thousands.)							Chingleput	..	5	4
Total for w/e 13-9-52	Chittoor	..	70	33	3	1	—	—
Total for w/e 6-9-52	Norsh Arcot	..	105	55	5	1	—	—
Madhya Pradesh														
Nagpur	Salem	..	27	12
Wardha	Coimbatore	..	95	47
Uhanda	South Arcot	..	7	4	3	1	—	—
Ohhindware	Tanjore	..	5	4	10	5	—	—
Betul	Tiruchirapalli	..	110	53	28	12	—	—
Bhandara	2	1	Mathurai	..	7	4
Jabalpur	Ramanathapuram	4	2	—	—
Sagar	16	4	Tirunelveli
Mandla	Nilgiris
Hoshangabad	Malabar	4	2	—	—
Nimar	South Kanara
Baleghat	TOTAL	..	630	345	91	30
Raipur	68	29	1	..	(Estd. mid-year pop. 57,000 thousands.)							
Bilaspur	21	11	7	2	Total for w/e 13-9-52	..	871	465	68	12
Durg	57	34	2	..	Total for w/e 6-9-52	..	1,092	521	73	9
Baster	7-yearly mean for the week	..	517	242	314	63	37	17
Surguja	Manipur							
Raigarh	(Estd. mid-year pop. 588 thousands).							
Orissa														
Cuttack	Total for w/e 13-9-52				
Balasore	Total for w/e 6-9-52				

Explanation of Symbols used:—C=Cases; D=Deaths.

Reported attacks and deaths from cholera, small pox, plague and typhus in districts in India during the week ending the 20th Sept. 1952—contd.

	CHOLERA		SMALLPOX		PLAGUE			CHOLERA		SMALLPOX		PLAGUE		
	C.	D.	C.	D.	C.	D.		C.	D.	C.	D.	C.	D.	
Orissa—contd.								Uttar Pradesh—Contd.						
Puri	26	15	2	—	—	—		Aligarh]	8	3	—	—	—	—
Sambalpur	5	4	16	4	—	—		Mathura	—	—	—	—	—	—
Khondmals	2	2	1	1	—	—		Agra	—	—	—	—	—	—
Ganjam Plains	10	7	1	—	—	—		Mainpuri	—	—	—	—	—	—
Ganjam Agency	—	—	8	—	—	—		Hitah	5	2	—	—	—	—
Koraput	—	—	—	—	—	—		Bareilly	13	4	—	—	—	—
Keonjhar	—	—	—	9	1	—		Bijnor	—	—	—	—	—	—
Dhenkanal	—	—	—	3	—	—		Budaun	—	1	1	—	—	—
Bolangir Patna	25	20	1	—	—	—		Moradabad	—	—	—	—	—	—
Sundergarh	—	—	—	2	—	—		Shahjahanpur	—	31	20	—	—	—
Kalahandi	37	22	8	8	—	—		Pilibhit	—	4	2	—	—	—
Angul	—	—	—	—	—	—		Farukhababad	—	—	—	—	—	—
Mayurbhanj	—	—	—	—	—	—		Etawah	—	—	—	—	—	—
TOTAL	241	154	51	19	—	—		Kanpur	—	—	—	—	—	—
(Estd. mid-year pop. 14,761 thousands).								Fatehpur	—	—	—	—	—	—
Total for w/e 13-9-52	317	196	42	5	—	—		Allahabad	—	—	—	—	—	—
Total for w/e 6-9-52	473	268	95	11	—	—		Jhansi	—	4	2	—	—	—
7-yearly mean for the week	35	18	55	11	—	—		Jalaun	—	—	—	—	—	—
Punjab (I)								Hamirpur	—	10	7	—	—	—
Hissar	—	—	—	1	1	—		Banda	—	—	—	—	—	—
Rohtak	—	—	—	—	—	—		Banaras	—	—	—	—	—	—
Gurgaon	—	—	—	—	—	—		Mirzapur	—	—	—	—	—	—
Karnal	—	—	—	—	—	—		Jaunpur	—	—	—	—	—	—
Ambala	—	—	—	—	—	—		Ghazipur	—	7	3	—	—	—
Simla	—	—	—	—	—	—		Ballia	—	—	—	—	—	—
Kangra	—	—	—	—	—	—		Gorakhpur	—	37	12	—	—	—
Hoshiarpur	—	—	—	—	—	—		Deoria	—	2	1	—	—	—
Jullundur	—	—	—	—	—	—		Basti	—	3	1	—	—	—
Ludhiana	—	—	—	—	—	—		Azamgarh	—	—	—	—	—	—
Ferozepur	—	—	—	—	—	—		Nainital	—	—	—	—	—	—
Amritsar	—	—	—	—	—	—		Almora	—	—	—	—	—	—
Gurdaspur	—	—	—	—	—	—		Garhwal	—	—	—	—	—	—
TOTAL	—	—	—	—	—	—		Lucknow	—	13	9	—	—	—
(Estd. mid-year pop. 12,745 thousands)								Una	—	—	—	1	—	—
Total for w/e 13-9-52	—	—	—	2	—	—		Rae Barelli	—	—	—	—	—	—
Total for w/e 6-9-52	—	—	—	7	1	—		Sitapur	—	—	—	—	—	—
7-yearly mean for the week	—	—	—	7	4	1		Hardoi	—	12	5	—	—	—
Tripura								Kheri	—	10	7	—	—	—
TOTAL	—	—	—	—	—	—		Faizabad	—	—	—	—	—	—
(Estd. mid-year pop. 668 thousands)								Gonda	—	12	2	—	—	—
Total for w/e 13-9-52	—	—	—	10	3	—		Brahmapur	—	38	20	—	—	—
Total for w/e 6-9-52	—	—	—	—	—	—		Sultanpur	—	—	—	—	—	—
Uttar Pradesh								Partabgarh	—	—	—	—	—	—
Dehra Dun	—	—	—	—	—	—		Bara Banki	—	—	—	—	—	—
Saharanpur	—	—	—	—	—	—		Rampur	—	—	—	—	—	—
Muzaffarnagar	—	—	—	—	—	—		TOTAL	210	101	1	—	—	—
Meerut	—	—	—	—	—	—		(Estd. mid-year pop. 64,152 thousands). ¹⁷						
Bulandshahr	—	—	—	—	—	—		Total for w/e 13-9-52	168	89	1	—	4	3
								Total for w/e 6-9-52	187	105	4	1	—	—
								7-yearly mean for the week	728	401	8	2	15	7

Explanation of symbols used: C.—Cases, D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 20th Sept. 1952—contd.

	CHOLERA		SMALLPOX		PLAQUE		CHOLERA		SMALLPOX		PLAQUE									
	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.								
West Bengal																				
Return not received.																				
Burdwan	8	4	1														
Birbhum														
Bankura	5	3	—														
Midnapur	12	8														
Hooghly	1														
24-Parganas	6	5	7	5														
Calcutta	4	1	1	1														
Nadia														
Murshidabad	—														
Malda														
West DinaJPUR														
Jalpaiguri														
Darjeeling														
Cooch Behar	—														
TOTAL	36	21	9	6	TOTAL	..	15	8	6	2								
(Estd. mid-year pop. 25,180 thousands)																				
Total for w/e 13-9-52	37	17	15	6	Jaipur	1	..								
Total for w/e 6-9-52	71	43	10	3	TOTAL	1	..								
7-yearly mean for the week	115	50	25	11	..	—	Gohilwadi	5	3	..								
Grand Total for States Parts (A) and (C) excluding Bihar	1,822	716	193	62	63	11	Halar								
Estimated mid-year pop. 24,818 thousands).							Madhya Fauashtra								
Corresponding Total for w/e 13-9-52	1,676	871	163	32	93	9	Sorath	1								
Corresponding Total for w/e 6-9-52.	2,046	1,034	227	31	Zalawad								
Corresponding 7-yearly mean for the week	1,893	947	484	103	190	60	TOTAL	6	3	..								
STATES PART (B)																				
Hyderabad																				
Aurangabad	Grand total for States Part (B)	..	34	12	22	7								
Parbhani	Grand total for States Parts (A), (B) & (C)	..	1,356	728	215	69								
Bhir	80	22										
Gulberga	—	ARREAR INFORMATION													
Raichur	TRIPURA													
Bidar	for (w/e 13-9-52)													
Omananabad	TOTAL	10	3	..								
Warrangal	3	1	Himachal Pradesh													
Karimnagar	for w/e 6-9-52, 13-9-52													
Adilabad	No. Incidence.													
Nuzamabad	2	1	Patna	..	101	33							
Medak	Gaya	..	346	108							
Nalgonda	5	2	Shahabad	..	47	19							
Mahbubnagar	Saran	..	28	4							
Hyderabad	—	Dharbhanga	6	1							
Nanded	..	9	Monghyr	..	4	2							
TOTAL	19	4	—	Hazaribagh	..	9	7							
Jammu and Kashmir																				
Return not received.																				
TOTAL	Patna	..	62	22							
Explanation of Symbols used																				

C.—Cases ; D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 20th September 1952—contd.

	CHOLERA		SMALLPOX		PLAQUE			CHOLERA		SMALLPOX		PLAQUE							
	C.	D.	C.	D.	C.	D.		O.	D.	O.	D.	C.	D.						
ARREAR INFORMATION																			
Bihar—contd.																			
For w/e 23-8-52																			
Patna	.	88	32	—	—	Bilaspur	.	24	11						
Gaya	.	145	60	Durg	.	56	28	10	..						
Saran	.	44	19	Bhandara	.	2						
Champaner	.	14	7	Buldana	.	30	12	7	1						
Darbhanga	17	5	Raigarh	.	8	7						
Hazaribagh	.	8	3	TOTAL	.	193	80	20	2						
Ranchi	.	89	49												
Palamu	.	98	42	TYPHUS											
Manbhum	.	37	12	3	Place	Period	Cases									
Shahabad	.	135	83	Cochin port	w/e 4-10-52	2									
TOTAL		658	307	20	8	POLIOMYELITIS											
Madhya Pradesh																			
For w/e 6-9-52																			
Nagpur	.	30	4	—	—	—	—	Place	Period	Cases									
Wardha	.	—	—	—	—	—	—	Delhi State	16-30 Sept. 1952	5 Paretic									
Chanda	.	—	—	1	Punjab (I)	1-15 "	"	8 Paretic								
Segar	.	17	8	Madhya Pradesh	1-15 Sept 1952	1 Non-Paretic									
Mandla	.	—	—	2	1	Madras	1-15 July, 1952	13 Paretic									
Raipur	.	26	10	Madras	16-31 July 19	1 Non-Pariotic									
										14 Paretic									
										12 Non-Paretic									

Explanation of Symbols used :—C.—Cases ; D.—Deaths.

NEW DELHI-2 (INDIA) ; }

The 13th Oct. 1952. }

K. MITRA,

for Registrar General, India,

NATIONAL SAVINGS CERTIFICATES

Available in three different series, maturing after 5, 7 and 12 years. The yield is 3%, 3·57% and 4·16% simple interest, respectively, at maturity. Thus, in the 12 year-certificates money increases by 50% on maturity. Interest is free of income-tax and super-tax and is not taken into account in arriving at the total taxable income.

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000, and two joint holders upto Rs. 50,000/-.

Full particulars obtainable from Post Offices, District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioners, Simla.

Deposits accepted in multiples of Rs. 100/- upto a maximum of Rs. 25,000 for a single depositor and Rs. 50,000 for two persons jointly. Interest at 3½% per annum (free of all taxes and not taken into account in assessing the total taxable income) is paid or remitted to the depositor's address every year. Deposits accepted at offices of the Reserve Bank of India at Bombay Calcutta, Delhi & Madras, and Branches of The Imperial Bank of India in other places transacting treasury business.

Full particulars obtainable from District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioners, Simla.

3½%

TEN-YEAR TREASURY SAVINGS DEPOSITS

AC.275

TODAY'S BEST INVESTMENT FOR SMALL SAVERS

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 20th September, 1952.

Town	Mid.-1952 Popn.-Est. (000)	Deaths from —													
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M. D.	Total	D. R.*	I.D.		
STATES—(Parts A and C)															
Ajmer															
Ajmer	203	85	21·8	—	—	—	11	10	17	—	60	17·7	9		
Beawar	53	22	21·6	—	—	—	21	1	3	..	27	26·5	11		
TOTAL	156	107	21·7	—	—	—	32	11	20	—	96	19·4	20		
Assam				Return not received											
Bhopal				Return not received											
Bihar				Return not received											
Bombay															
Ahmedabad	814	853	54·5	—	—	—	14	32	178	..	437	27·9	181		
Ahmednagar	83	73	45·7	—	—	—	3	3	8	—	25	15·7	..		
Amalner	46	28	31·7	8	..	2	..	12	13·6	4		
Bagalkot	33	23	36·2	—	4	3	2	..	20	31·5	3		
Baroda	219	207	49·2	—	—	—	36	1	13	1	78	18·5	20		
Barsi	43	51	60·7	—	—	—	8	..	1	..	16	19·3	7		
Belgaum	103	99	50·0	—	—	—	8	4	4	—	45	22·7	5		
Bhusewal	56	33	30·8	—	—	—	2	—	—	..	16	14·9	1		
Bijapur	68	54	41·3	—	—	—	4	2	1	..	18	18·8	2		
Broach	64	63	51·2	—	—	—	12	..	3	..	27	29·9	3		
Cambay	40	34	44·2	15	..	2	..	17	18·1	..		
Chalingaon	31	26	43·6	8	1	14	23·5	3		
Dharwar	69	28	21·1	3	..	4	1	15	11·3	1		
Dhulia	80	67	43·6	8	1	..	1	16	10·4	..		
Gadag-Betgeri	67	27	21·0	—	—	—	5	2	3	1	20	12·5	4		
Godhra	40	33	42·9	..	—	—	6	9	11·7	..		
Greater Bombay	2,987	2,080	36·2	—	—	—	4	54	191	1	858	14·9	261		
Hubli	134	49	19·0	—	—	—	3	..	1	1	13	5·0	..		
Jalgaon	71	33	24·2	—	—	—	7	1	3	1	25	18·3	6		
Kalyan	62	39	32·7	6	..	50	18·2	11		
Kolhapur	143	75	27·3	—	—	—	11	2	6		
Nandurbar	31	21	35·2	—	—	—	1	1	1	..	9	15·1	2		
Malegaon† (Mira)	41	15	12·0	—	—	—	1	..	6	..	14	11·2	..		
Nadiad	65	48	38·4	—	..	—	23	2	29	23·2	8		
Nasik	103	78	39·4	—	..	—	4	3	7	1	46	23·2	15		
Navasari	46	36	40·7	—	—	—	3	1	8	9·0	2		
Pandharpur	41	24	30·4	—	—	—	4	5	5	..	17	21·6	6		
Patan	44	43	52·0	—	—	—	13	1	1	—	24	29·0	7		
Poona	516	282	28·4	—	—	—	8	4	42	2	156	15·7	40		
Sangli	52	21	21·0	4	..	2	..	11	11·0	2		
Satara	38	22	30·1	2	..	1	..	11	15·1	6		
Sholapur	274	235	44·6	6	10	35	2	98	18·6	34		
Surat	230	244	55·2	—	—	—	12	1	16	1	79	17·9	23		
Thana †															
TOTAL	6,734	5,044	38·9	—	..	—	245	133	537	16	2,239	17·3	651		
Delhi State															
Delhi City	955	682	37·1	—	—	—	114	18	40	2	213	11·6	66		
New Delhi	304	350	59·0	—	—	—	2	1	7	..	50	8·6	5		
TOTAL	1,259	1,032	42·6	—	—	—	116	19	47	2	263	10·9	71		
Madhya Pradesh															
Achampur	36	36	52·0	—	—	—	7	6	27	39·0	10		
Akola†	90	85	49·1	—	—	—	17	14	5	..	55	31·8	16		
Amravati															
Bilaspur	39	32	42·7	8	2	30	40·0	11		
Burhanpur	72	52	37·6	18	1	2	..	31	22·4	..		
Chanda	41	35	44·4	..	—	—	9	11	3	..	38	48·2	22		
Damoh†	39	80	118·7	..	2	..	27	1	2	2	39	52·0	3		
Gondia															
Hinganghat †															

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 20th September 1952—*contd.*

Town	Mid. 1952 Popn.—Est. (000)	Deaths from :—											
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.**	I.D.
Madhya Pradesh—<i>contd.</i>													
Jabalpur	212	101	24.8	—	8	8	6	..	39	9.6	..
Khandwa	54	84	32.7	3	1	..	1	6	5.8	..
Nagpur	469	127	14.1	29	13	13	1	122	13.1	..
Rajpur†													
Sagar†													
Wardha†													
Yeotmal	37	44	61.8	—	..	—	6	1	1	—	19	26.7	5
TOTAL	1,089	835	30.3	..	2	..	132	58	32	3	406	19.4	67
Madras													
Adoni	58	37	34.4	1	1	2	..	10	9.3	2
Ambur	42	10	12.4	1	2	..	6	7.4	2
Anakapalle	42	80	37.1	3	1	..	2	..	18	22.3	9
Aruppakottai	60	34	35.4	2	..	3	1	11	11.4	3
Bellary†													
Bhimavaram†													
Cannanore	43	25	30.2	4	1	1	..	19	23.0	2
Chirala	37	17	22.1	2	1	10	13.0	..
Obbicoor	40	35	45.5	3	1	..	1	1	14	18.2	3
Colmbatore	208	188	48.2	4	17	19	..	95	24.3	29
Cuddalore	69	53	39.9	2	3	3	..	18	13.6	..
Cuddeppah	39	20	26.7	1	3	1	..	12	16.0	..
Dindigul	82	35	22.2	3	1	2	..	13	8.2	2
Eluru	90	81	17.9	2	1	2	1	25	14.4	1
Erode	60	54	46.8	6	..	22	19.1	2
Guddiyattam	47	26	28.8	2	5	6.8	1
Guntur	124	135	56.6	4	12	5	8	..	50	21.0	13
Kakinada	103	40	20.2	4	..	3	..	30	15.1	7
Kancheepuram	86	96	58.1	1	9	3	4	..	42	25.4	9
Karaikudi	59	26	34.7	9	12.0	1
Karur	44	26	30.7	1	..	1	11	11	13.0	3
Kozhikode	162	165	53.0	6	7	7	3	95	30.8	14
Kumbakonam	95	58	31.7	1	3	1	14	7.7	3
Kurnool	62	69	57.0	3	3	1	22	18.5	5
Madras	1,488	1,267	44.3	..	1	..	70	105	176	2	696	24.3	172
Mangalore	122	84	35.8	2	4	6	..	39	16.6	2
Marupatnam	81	58	37.2	2	1	3	..	24	15.4	6
Methurai	378	289	39.8	10	6	47	..	118	16.2	2
Mayuram	45	19	22.0	1	3	1	..	18	20.8	6
Malappayam	38	16	21.9	1	1	1	..	6	8.2	2
Nagapattinam	59	58	51.1	2	1	..	10	8.8	4
Nellore	85	88	53.8	1	5	1	40	24.6	12
Ootacamund	43	49	59.3	2	5	..	18	21.8	7
Palyamkottai	41	24	30.4	1	..	2	..	18	22.8	4
Paigat	71	27	19.8	1	3	3	..	20	14.6	3
Proddatur	38	37	50.6	1	1	4	2	17	23.3	3
Pudukottai†													
Rajahmundry	109	59	28.1	8	2	4	..	51	24.9	11
Rajapalayam	63	26	21.5	3	3	1	..	12	9.9	1
Salem	212	180	44.2	1	5	4	23	1	71	17.4	13
Srivilliputtrur	41	27	34.2	2	3	4	..	18	22.0	2
Tunjore	105	66	32.6	1	3	4	5	43	21.3	6
Tellecherri	68	27	22.3	2	11	9.1	2
Tenali	60	46	39.9	3	..	2	..	9	7.8	1
Tiruchirappalli	226	156	35.9	2	5	18	..	94	21.6	12
Tirunelveli	75	81	21.5	2	1	..	14	9.7	6	
Tiruppur	55	23	21.7	3	2	4	..	15	14.2	2
Tiruvannamalai	31	13	21.8	2	3	3	..	8	13.4	2
Tuticorin	101	58	29.9	3	5	..	26	13.4	8
Vaniyambadi	40	19	24.7	5	2	14	18.2	1
Vellore	111	97	45.4	1	5	8	13	..	51	29.9	9
Vijayavada	171	65	19.8	..	1	..	8	1	3	..	34	10.3	7
Virudunagar	48	33	35.7	2	2	1	..	9	9.7	1
Visakhapatnam	113	67	30.8	1	2	4	..	26	12.0	6
Vizianagram	69	52	39.2	3	1	5	..	23	17.3	3
TOTAL	5,797	4,271	38.3	20	2	..	198	219	420	19	2,104	18.9	449

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 20th Sept., 1952—*contd.*

Deaths from—

Town	Mid.-1952 Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Orissa														
Punjab (I)														
<i>Return not received.</i>														
Ambala	59	43	88.1	—	—	—	—	11	2	6	1	23	20.4	10
Amritsar	317	227	37.4	—	—	—	—	11	10	53	2	118	19.5	40
Batala	57	36	93.0	—	—	—	—	2	2	1	..	11	10.1	4
Bhiwani	63	54	53.3	—	—	—	—	12	12	2	—	30	29.6	6
Ferozepore†	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Hissar	36	20	29.0	—	—	—	—	7	2	—	—	13	18.9	3
Hoshiarpur	47	26	28.9	—	—	—	—	5	1	1	1	11	12.2	2
Jullundur	176	136	40.4	—	—	—	—	29	6	3	—	46	18.4	9
Karnal	61	27	23.1	—	—	—	—	11	—	—	1	15	12.9	3
Ludhiana	159	101	33.2	—	—	—	—	14	1	—	—	29	9.5	10
Moga†	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Panipat	57	40	36.7	—	—	—	—	7	9	9	—	17	15.6	4
Pathankot	31	26	43.8	—	—	—	—	2	—	2	—	9	15.2	3
Rewari†	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rohtak†	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Simla†	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sonepat†	—	—	—	—	—	—	—	—	—	—	—	—	—	—
TOTAL	1,053	736	83.3	111	89	71	5	321	13.9	94
Uttar Pradesh														
Agra	344	403	61.3	—	—	—	—	2	27	88	—	219	33.3	66
Allahabad†	59	67	59.4	—	—	—	—	13	11	7	—	46	40.8	10
Amroha	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bahraich	45	31	86.0	—	—	—	—	3	2	3	—	10	11.6	1
Ballia	32	25	40.8	—	—	—	—	3	—	—	—	4	6.5	1
Banaras	350	411	61.4	—	—	—	—	73	15	25	1	242	36.1	68
Banda	31	14	28.6	—	—	—	—	3	—	—	—	3	5.1	—
Bareilly	197	116	30.8	—	—	1	—	20	1	14	—	40	13.0	15
Basti†	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bijnor†	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Budaun	53	72	71.0	—	—	—	—	24	3	6	—	46	45.4	14
Bulandshahr	39	23	30.8	—	—	—	—	7	—	—	—	7	9.4	1
Chandausi	38	49	67.4	—	—	—	—	5	5	2	1	20	27.5	5
Dehra Dun	124	39	16.4	—	—	—	—	2	—	3	—	20	8.4	6
Etawah	61	60	51.4	—	—	—	—	14	2	10	—	43	36.9	14
Faizabad-Ajodhya	70	61	40.4	—	—	—	—	5	1	5	—	21	13.9	5
Farrukhabad-Fatehgarh	76	67	46.1	—	—	—	—	17	2	4	—	39	26.8	13
Ferozabad	69	68	51.5	—	—	—	—	15	3	6	—	32	24.2	7
Ghazabadi	40	36	47.1	—	—	—	—	5	—	1	—	9	11.8	3
Ghazipur	35	37	55.3	—	—	—	—	5	1	1	1	14	20.9	4
Gonda†	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gorakhpur	128	61	24.9	—	—	—	—	10	3	6	—	27	11.0	6
Hapur	45	48	55.8	—	—	—	—	10	7	6	—	26	30.2	11
Hardwar	58	46	41.5	—	—	—	—	18	7	4	—	33	29.7	7
Hathras	58	81	73.0	—	—	—	—	21	9	10	2	48	43.3	19
Jaunpur	58	25	24.7	—	—	—	—	7	1	5	—	20	19.7	1
Jhansi	109	120	57.6	—	—	—	—	55	5	3	—	88	41.3	28
Kanpur	662	505	39.0	—	—	—	—	120	25	27	—	14	24.8	110
Kasganj	33	11	17.4	—	—	—	—	4	—	—	—	5	7.9	2
Khurja	39	33	44.2	—	—	—	—	2	4	3	—	11	14.7	3
Koll-Aligarh	141	92	34.1	1	—	—	—	18	7	8	—	45	16.7	14
Lucknow	457	352	40.3	—	—	—	—	65	15	32	2	252	28.8	77
Mathura	101	134	69.4	—	—	—	—	20	—	3	—	35	18.1	13
Mau-Nath Bhanjan	35	26	38.8	—	—	—	—	10	2	—	—	16	23.9	1
Meerut	167	136	42.3	—	—	—	—	13	2	11	—	46	14.4	8
Mirzapur-Vindhya Chal	90	85	40.4	—	—	—	—	13	3	7	—	37	21.5	9
Moredabad	158	155	51.3	—	—	—	—	19	9	17	1	80	26.5	20
Muzaffarnagar	67	45	35.1	—	—	—	—	11	—	1	—	26	20.3	8
Pilibhit	45	49	56.6	—	—	—	—	15	2	4	—	43	49.7	15
Rampur	140	14	5.2	—	—	—	—	5	—	—	—	10	3.7	2
Saharanpur	147	111	39.5	—	—	—	—	57	2	2	—	71	25.3	18
Sambhal	62	72	60.7	—	—	1	—	10	4	7	—	28	28.6	9
Shahjahanpur	99	87	45.9	—	—	—	—	18	1	1	—	27	14.3	6
Sitapur	40	42	47.7	—	—	—	—	11	1	5	—	27	30.7	15
TOTAL	4,612	3,908	44.1	1	2	—	—	730	180	337	15	2137	24.1	638

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 20th September, 1952—*contd.*

Town	Mid-1952 Popn.-Est. (000)	Deaths from :—											
		B.	B.	R.*	C.	S.	P.	F.	D.D.	R.D.	M. D.	Total	D.R.**

West Bengal*Return not received.***STATES (Part B)****Jammu and Kashmir***Return not received***Madhya Bharat**

Greater Gwalior . . .	249	140	29·2	4	1	1	1	15	3·1	1
Indore City . . .	325	232	37·1	28	10	10	2	109	17·4	30
Ujjain City . . .	136	29	11·1	5	3	7	..	41	15·7	12
Ratlam City . . .	66	22	17·9	12	2	10	1	32	25·2	4
TOTAL . . .	776	423	28·3	49	16	28	4	197	13·2	47

Mysore State

Bangalore City . . .	825	452	28·5	42	29	275	17·3	..
Davanagere . . .	59	14	12·3	4	6	5·3	..
Kolar Gold Fields . . .	163	114	36·4	—	4	2	6	..	29	9·3	..
Mysore City . . .	257	114	28·1	5	3	—	—	38	7·6	..
TOTAL . . .	1,304	694	27·7	—	51	38	6	..	348	13·9	..

PEPSU

Bhatinda	35	34	50·5	..	—	..	10	..	1	..	14	20·8	3
Malerkotla	33	17	26·8	..	—	1	..	2	3·2	..
Patiala	100	77	40·0	—	—	—	25	1	6	..	48	25·0	13
TOTAL	168	128	39·6	35	1	8	..	64	19·8	16

Rajasthan*Return not received.***Saurashtra**

Bhavnagar	143	40	14·5	39	4	2	..	62	22·5	13
Dhoraji	45	24	27·3	2	1	3	..	10	11·6	..
Gondal†													
Jamm Nagar	109	28	13·4	11	3	3	..	24	11·5	7
Junagadh	63	36	20·7	15	1	3	..	25	20·6	9
Morvi	41	21	26·6	1	1	..	2	2·5	1
Porbandar	60	33	28·0	12	4	1	..	27	23·4	12
Rajkot	141	88	32·5	35	15	7	2	86	31·7	32
Surendra Nagar †													
Veraval	42	10	12·4	5	5	6·2	3
TOTAL	644	280	22·6	119	29	20	3	241	19·4	77

Travancore-Cochin

Alleppey	124	86	36·1	2	3	4	1	23	9·6	3
Changanacherry	37	30	42·2	2	1	1	..	6	9·0	..
Ernakulam	64	52	42·8	1	..	2	1	19	15·4	3
Kottayam	46	38	43·0	2	1	5	5·7	..
Mattancherri	76	105	71·8	2	..	4	..	15	10·3	..
Nagercoil	83	25	15·7	4	..	1	1	13	8·1	..
Quilon	68	75	57·4	1	1	1	..	14	10·7	1
Trichur	71	38	27·8	1	1	1	..	15	11·0	1
Trivandrum City	195	147	39·2	4	2	5	..	26	6·9	6
TOTAL	764	596	40·6	—	—	—	19	9	19	3	136	9·3	14

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Small pox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 20th September, 1952—concl.

Deaths from :—

Town	Mid-1952 Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
ARREAR RETURNS													
For w/e the 6th September, 1952													
West Bengal													
Amansolt†													
Baidyabati†													
Bally†													
Bankura	49	7	7·5	1	7	7·5	..
Bansberia†	80	45	29·4	3	6	1	..	21	13·7	..
Baranagar													
Basirhat	36	5	7·3	1	..	1	..	3	4·4	..
Berhampur	58	42	37·9	3	2	..	1	15	13·5	2
Bhadreswar	33	15	23·8	1	2	2	..	8	12·7	3
Bhatpara	136	43	16·5	12	2	2	2	38	12·7	13
Budge-Budge	32	15	24·5	2	2	..	4	6·5	..
Burdwan	77	15	10·2	2	3	10	6·8	..
Calcutta †													
Champdani	38	3	4·1	2	2·8	..
Cooch-Behar†													
Darjeeling†													
English-Bazar	32	22	10·1	1	5	5	..	1	1·6	..
Garden Reach.	144	22	10·1	1	5	5	..	20	9·2	6
Halisahar	37	4	5·7	2	2·8	..
Hooghly-Chinsura	57	34	31·2	5	2	2	..	15	13·8	3
Howrah	452	290	33·5	16	21	39	..	181	18·6	52
Jalpaiguri	43	9	10·0	2	..	1	..	4	4·0	..
Kamarhati†													
Kanchrapara	61	16	13·7	1	2	1·7	..
Krishnanagar	50	108	112·8	2	2	4	..	13	13·6	1
Midnapore	44	35	41·6	2	1	..	1	12	14·3	1
Nabadwip	59	40	35·4	4	2	1	..	8	7·1	..
Naihati	57	9	8·3	2	..	6	5·5	..
North Barrackpore	34	2	3·1	2	3·1	..
Panibati †													
Santipur	44	14	16·6	1	1·2	..
Serampore	76	8	3	21	14·4	..
Siliguri	35	2	2·9
South Dum-Dum	68	2	1·5	1	8	..
South Suburban	108	8	3·9	1	7	6	..	23	11·1	9
Titagarh	72	25	18·2	7	9	6·5	..
Tollygunj	163	5	1·6	1	1	3	..
TOTAL	2,145	815	19·8	72	61	66	5	405	9·8	90
For w/e the 16th August, 1952													
Jammu & Kashmir													
Srinagar	233	121	27·0	4	..	11	..	32	7·1	6
Bhopal													
Bhopal	106	47	23·1	19	2	1	..	21	10·3	..
Assam													
For w/e 13th September, 1952													
Shillong	56	33	30·6	6	5·4	1
Gauhati	48	9	10·4	1	2	6	6·7	..
Dibrugarh†													
Silchar	36	12	16·8	4	1	10	14·1	..
TOTAL	137	54	20·5	5	3	22	8·4	1
Madhya Bharat													
For w/e 6th September, 1952													
Greater Gwalior	249	84	17·5	4	2	1	..	13	2·7	4
Indore City	325	169	27·0	20	4	6	2	87	13·9	22
Ujjain City	136	29	11·0	6	2	4	..	31	11·8	16
Ratlam City	66	16	12·6	8	3	3	..	27	21·2	4
TOTAL	776	298	20·0	38	11	14	2	158	10·6	46

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for the week ending the 20th September, 1952 relate to 178 towns with an estimated population of 24,456 thousands. The total number of towns is 281 and their population is 34,764 thousands. Thus 63% of the total number of towns representing 70% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 17,854 and 8,552 representing birth and death rates of 38.0 and 18.2 per thousand of population respectively.

(A) States (Parts A & C) :—The data here relate to 150 towns with an estimated population of 20,800 thousands. Information about Bhopal, Bihar, West Bengal and Orissa could not be included. The total number of towns is 235 and their population is 29,570 thousands. Thus 64% of the total numbers of towns representing 70% of the total population is covered. The numbers of births and deaths recorded in these towns were 15,733 and 7,566 representing

birth and death rates of 39.3 and 18.9 per thousand of population respectively.

Gondia in Madhya Pradesh was the only town which had a high death rate of 52.0 per thousand of population and this high death rate was mainly due to deaths from fevers.

(B) States (Part B) :—The data here relate to 28 towns with an estimated population of 3,656 thousands. The total number of towns is 46 and their population is 5,194 thousands. Thus 61% of the total number of towns representing 70% of the total population is covered. The numbers of births and deaths recorded in these towns were 2,121 and 9.86 representing birth and death rates of 30.2 and 14.0 per thousand of population respectively.

No town recorded a highh death rate of 50 or over per thousand of population.

States	Current w/e 20.9.52		Corresponding w/e last year		Corresponding mean during the previous 5 years period.	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer	21.7	19.4	51.4	16.4	39.7	21.3
Bombay	38.0	17.3	43.4	17.8	42.1	22.3
Delhi	42.0	10.9	64.4	13.3	54.1	15.2
Madhya Pradesh	30.3	19.4	42.1	17.5	40.5	25.0
Madras	38.3	18.9	57.4	20.2	50.3	27.1
Punjab (I)	36.3	15.9	41.4	14.6	34.0	12.9
Uttar Pradesh	44.1	24.1	48.2	22.0	45.2	26.3
India (only States Parts A & C)	39.3	18.9	49.8	21.2	41.0	22.0

Forwarded for information.

NEW DELHI 2 (INDIA).
The 13th October, 1952.

K. MITRA,
For Registrar General, India.

